

GD-327 Guidance for Nuclear Criticality Safety / Directives de sûreté en matière de criticité nucléaire
 Comments received from public consultation / Des commentaires reçus dans le cadre du processus de consultation

Comments received during first round (Dec. 23, 2009 to Mar. 23, 2010) / Des commentaires reçus dans la première période (du 23 décembre 2009 au 23 mars 2010):

	Section	Name	Organization	Organization Type	Comment
1	2.3.1	Dr. Aniket Pant	Cameco Fuel Manufacturing	Industry	Section 2.3.1.1 item (3) should read "less than" not "less then"
2	2.3.1	Dr. Aniket Pant	Cameco Fuel Manufacturing	Industry	In the phrase from Section 2.3.1.1: Less then 200 kg in total of natural or depleted uranium or natural thorium if some other fissionable materials are present in the facility, but the total amount of fissile nuclides in those fissionable materials Phrase should be "less THAN" and not "less then"
3	2.3.2	Dr. Aniket Pant	Cameco Fuel Manufacturing	Industry	Text in 2.3.2 - "Program Management Practices" - "These specialists should be, to the extent practicable, administratively independent of process supervisors". Administrative independence needs to be more rigorously defined
4	2.3.2	Dr. Aniket Pant	Cameco Fuel Manufacturing	Industry	Add phrase from ANS 8.19 to highlight criticality safety to the same level as other safety disciplines. I prefer "shall" to the ANS 8.19 "should" in second sentence: Management shall assign responsibility and delegate commensurate authority to implement established policy. Responsibility for nuclear criticality safety shall be assigned in a manner compatible with that for other safety disciplines.